

TYPICAL PRODUCT CATALOGUE

STAIR RAILING SYSTEMS & SPIDER GLASS WALL HARDWARES



Edit 2020.09



Fine Hardware Products of DRAHO Guarantee High-quality Projects



Fine Hardware Products of DRAHO Guarantee High-quality Projects



DRAHO DOOR&WINDOW AND GLASS-WALL FITTINGS LTD.

Founded in 1995, DRAHO has been professionally engaged in the production and sales of high quality glass curtain wall accessories, gating hardware series, aluminum alloy door & window accessories, plastic-steel door & window accessories and other architectural hardware accessories for 21 years.

In 2011, in order to meet the needs of market development, the Company was renamed from "DRAHO Locks" to "Foshan South Sea DRAHO Architectural Hardware Co., Ltd. Now the Company possesses a much more professional design team, masters modern production technologies and provides customers with even better architectural hardware solutions for satisfying various needs of different customers.

During the industry development for 21 years, DRAHO always aims at "becoming a world supplier of high quality hardware technology", with following strict requirements for product quality and the concept of "Quick response, immediate action and true to customers".

In order to improve product quality and technological level, DRAHO makes active research and development on professional production equipments suitable for architectural hardware with colleges and universities on the basis of excellent original material selection and exquisite workmanship. It adopts full-automatic machinery production, ensures product quality and enhances productivity simultaneously. DRAHO testing center conducts strict tests upon each product in the respects of durability, salt-spray corrosion, twisting force, tensile force, UV weatherability and spectrum elements, and makes sure that all performance of draho products meet national standards. Therefore, the products of DRAHO have passed the quality standard certification in China, Britain and Singapore successively.

DRAHO products are stylish, comfortable and durable in use; DRAHO staff adheres to the idea of "serving to every little thing is exactly our great event" and completes everything efficiently and carefully.

In order to make sure that all users safely use the products of draho, the Company has established customer file system, client survey system and feedback system, as well as supplies exclusive service staff. The customers can keep updated on cooperation progress at any time, clearly know every detail and enjoy high quality architectural hardware solutions provided by draho easily and comfortably. Hence, DRAHO products have spread across North China, East China, South China, Southwest China and Northwest China, and exported to more than twenty countries and regions, such as Malaysia, Indonesia, Singapore and United States, which are widely used by domestic and foreign door & window companies and real estate projects and approved by customers and society.

Since entering architectural hardware industry, DRAHO has established the core value of "follow the pace of market with creative and high quality products". In the development process for 21 years, DRAHO has built up the corporate culture as follows: ambitious, pragmatic and hardworking; becoming a fine quality supplier of hardware technology which is credible and trustworthy to any construction enterprises, achieving hundred-year draho, supplying high quality products in order to build comfortable residential environment for people, create value for society and promote social progress.



Ingredients Stainless steel for tair Railing Systems& Spider Glass Wall Fittings

DRAHO DOOR & WINDOW AND GLASS-WALL FITTINGS LTD, would like to thank you for your trust in using DRAHO accessories in your project. Wishing you and the Project a success.

Here, we confirm and commit that the Stainless Steel Products used for our Railing Pillars, the elemental composition as follows:

The Chemical Composition of Stainless Steel : SUS 304							
Item	C	Si	Mn	P	S	Cr	Ni
Quality standards	≤ 0.08	≤ 1.00	≤ 2.0	≤ 0.045	≤ 0.03	18~20	8~10.5
Reality	0.038	0.39	1.28	0.032	0.004	18.05	8.04

The Chemical Composition of Stainless Steel : SUS 316								
Item	C	Si	Mn	P	S	Cr	Ni	Mo
Quality standards	≤ 0.08	≤ 1.00	≤ 2.0	≤ 0.045	≤ 0.03	16~18	10~14	2~3
Reality	0.022	0.44	1.15	0.029	0.002	16.09	10.03	2.0

DRAHO is committed to the best quality of products and services to satisfy customers.

Thank you very much!

DRAHO DOOR & WINDOW AND GLASS-WALL FITTINGS LTD

DRAHO DOOR & WINDOW AND GLASS-WALL FITTINGS LTD

Contact Information Add: Dachong Industrial Zone, Lishui Town, Nanhai District, Foshan City, Guangdong Province, China PC: 528244
FOSHAN NANHAI DRAHO DOOR & WINDOW AND GLASS-WALL FITTINGS LTD Tel: +86-0757-85606958 85639791 Fax: +86-0757-85639638
E-mail: draho@draho.cn Http://www.draho.cn




PD1100

Single-Plate Pillar



NAME	CODE
Finshied Face	Satin or Mirror
Height (H)	1100mm
Main Part Thickness (T)	12mm
Main Part Width (W)	80mm
Foot Base (B1*B2*T2)	100*100*12mm
Material	SUS304 or 316
Fixing Handle	Two Double Handle




PD1050

Single-Plate Pillar



Product Code	PDS1100-2
Finshied Face	Satin or Mirror
Height (H)	1050mm
Main Part Thickness (T)	12mm
Main Part Width (W)	80*50mm
Foot Base (B1*B2*T2)	100*100*12mm
Material	SUS304 or 316
Fixing Handle	Two Double Handle




PLA220

Short Size Pillar




Product Code	PLA220
Finshied Face	Satin or Mirror
Height (H)	220mm
Main Part Thickness (T)	10mm
Main Part Width (W1*W2)	45*37mm
Foot Base (B1*B2)	90*90*6mm
Material	SUS304 or 316



PDS1100-2 Double-Plate One Point Pillar




Product Code	PDS1100-2
Finshied Face	Satin or Mirror
Height (H)	1100mm
Main Part Thickness (T)	8mm
Main Part Width (W)	70mm
Foot Base (B1*B2*T3)	100*100*10mm
Material	SUS304 or 316
Fixing Handle	Two Double Handle



PDS1100-1 Double-Plate One Point Pillar




Product Code	PDS1100-1
Finshied Face	Satin or Mirror
Height (H)	1100mm
Main Part Thickness (T)	8mm
Main Part Width (W)	70mm
Foot Base (B1*B2*T3)	100*100*10mm
Material	SUS304 or 316
Fixing Handle	One Double Handle



PS1050-2 Double-Plate Pillar




Product Code	PS1050-2
Finshied Face	Satin or Mirror
Height (H)	1050mm
Main Part Thickness (T)	8mm
Main Part Width (W)	70mm
Foot Base (B1*B2*T3)	100*100*10mm
Material	SUS304 or 316
Fixing Handle	Two Double Handle



PS1050-2 Double-Plate Pillar




Product Code	PS1050-1
Finshied Face	Satin or Mirror
Height (H)	1050mm
Main Part Thickness (T)	8mm
Main Part Width (W)	70mm
Foot Base (B1*B2*T3)	100*100*10mm
Material	SUS304 or 316
Fixing Handle	One Double Handle



PDS1200A Double-Plate One Point Pillar




Product Code	PDS1200A-2 & PDS1200A-1
Finshied Face	Satin or Mirror
Height (H)	1200mm
Main Part Thickness (T)	12mm
Main Part Width (W)	70*120*70mm
Foot Base (B1*B2*T3)	100*100*10mm
Material	SUS304 or 316
Fixing Handle	One & Two Double Handle



PS1200B Double-Plate Pillar



Product Code	PS1200B-2 & PS1200B-1
Finshied Face	Satin or Mirror
Height (H)	1200mm
Main Part Thickness (T)	12mm
Main Part Width (W)	70*120*70mm
Foot Base (B1*B2*T3)	100*100*10mm
Material	SUS304 or 316
Fixing Handle	One & Two Double Handle






PYG1100

Single-Plate Pillar



Product Code	PYG1100
Finshied Face	Satin or Mirror
Height (H)	1100 mm
Main Part Thickness (T)	2 mm
Main Part Width (W)	Ø50 mm
Foot Base (B1*B2*T2)	Ø100*8 mm
Material	SUS304 or 316
Fixing Handle	Two Double Handle




PFG1100D

Single-Plate Pillar



Product Code	PFG1100D-2
Finshied Face	Satin or Mirror
Height (H)	1100 mm
Main Part Thickness (T)	2 mm
Main Part Width (W)	40*40mm
Foot Base (B1*B2*T2)	100*80*12mm
Material	SUS304 or 316
Fixing Handle	Two Double Handle





PD1100

Single-Plate Pillar



Product Code	PDS1100-2
Finshied Face	Satin or Mirror
Height	1100mm
Main Part Thickness	12mm
Main Part Width	80mm
Foot Base	100*100*12mm
Material	SUS304 or 316
Fixing Handle	Two Double Handle




PD2516-2 Fixing Handle




PD2516-1 Fixing Handle




JVC22 Fixing Handle




JVC21 Fixing Handle




JTC22 Action Handle




JTC21 Action Handle




JVC31 Fixing Handle




JVC41 Fixing Handle




JTM22 Action Handle




JTM21 (L&R) Action Handle




JVM21L Action Handle




JVM21R Action Handle




JVD21 Fixing Handle




JVF21 Fixing Handle




CP51S Fixing




CP51X Fixing




JVD22 Action Handle




JVU21 Action Handle




CP51F Fixing





DZ51F Fixing







CP51 Fixing Handle




DZ51 Fixing Handle




CP61 Fixing Handle






DZ61 Fixing Handle



LJ51 Fixing Handle




DJ51 Fixing Handle










PD1100

Single-Plate Pillar










			DRAHO DOOR&WINDOW AND GLASS-WALL FITTINGS LTD.			
No	Product	Name	Code	Picture	Quantity	Note
1	Double-Plate One Point Pillar	Pillar	PD1100 (H=1100, 80x12)		1	- Height: 1100mm - Thickness/Width 80*12 (T=12mm) - Foot Base: 120*120*12 (T=12mm)
		Single hand Pillar	2516-1(42*38)		2	
2	Double-Plate One Point Pillar	Pillar	PD1100 (H=1100, 80x12)		1	
		Double hand Pillar	2516-2(42*38)		2	



PDS1100-2

Double-Plate One Point Pillar




			DRAHO DOOR&WINDOW AND GLASS-WALL FITTINGS LTD.			
No	Product	Name	Code	Picture	Quantity	Note
1	Double-Plate One Point Pillar	Pillar	PDS1100 (H=1100)		1	- Height: 1100mm - Thickness/Width 70*8 (T=8mm) - Foot Base: 120*120*12 (T=12mm)
		Single hand Pillar	JTM21 (L&R)		2	
2	Double-Plate One Point Pillar	Pillar	PDS1100 (H=1100)		1	
		Double hand Pillar	JTM22		2	




DRAAD®
ARCHITECTURAL HARDWARE








DRAAD®
ARCHITECTURAL HARDWARE



4 Arms Spider










1	
2	
3	

			DRAHO DOOR&WINDOW AND GLASS-WALL FITTINGS LTD.			
Product	No	Name	Code	Picture	Quantity	Note
Series-B200 4 Arms Spider	1	Four hand	B200-4		1	-Glass Thickness =? mm
	2	Flat Cap Routel	RN08		4	
	3	Connector	CT09(L)		1	
Series-B220 4 Arms Spider	1	Four hand	B220-4		1	
	2	Flat Cap Routel	RN08		4	
	3	Connector	CT09(L)		1	








3 Arms Spider




		DRAHO DOOR&WINDOW AND GLASS-WALL FITTINGS LTD.				
Product	No	Name	Code	Picture	Quantity	Note
Series-B200 3 Arms Spider	1	Three hand	B200-3		1	-Glass Thickness =? mm
	2	Flat Cap Routel	RN08		3	
	3	Connector	CT09(L)		1	
Series-B220 3 Arms Spider	1	Three hand	B220-3		1	
	2	Flat Cap Routel	RN08		3	
	3	Connector	CT09(L)		1	

2 Arms Spider




		DRAHO DOOR&WINDOW AND GLASS-WALL FITTINGS LTD.				
Product	No	Name	Code	Picture	Quantity	Note
Series-B200-2V 2 Arms Spider	1	Double hand	B200-2V		1	-Glass Thickness =? mm
	2	Flat Cap Routel	RN08		2	
	3	Connector	CT09(L)		1	
Series-B200 2 Arms Spider	1	Double hand	B200-2		1	
	2	Flat Cap Routel	RN08		2	
	3	Connector	CT09(L)		1	


B200 - 1




B200 - 3




B200 - 1V




B200 - 4




B200 - 2




B200 - 2V




B220 - 1




B220 - 3




B220 - 1V




B220 - 4




B220 - 2




B220 - 2V




B250 - 1




B250 - 3




B250 - 1V




B250 - 4




B250 - 2




B250 - 2V




B300-1




B300-3




B300-1V




B300-4




B300-2




B300-2V




KB200-1R




KB200-2V




KB200-1L




KB200-4




KB200-2T




KB200-2K




RN08




RN09




RN10



RN11



CT09(L)



CT10(L)

